

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
10	2346	conver\$6 adj2 protocol	USPAT; EP ; JP ; DERWENT; IBM_TDB	2004/01/15 11:10
11	454	converting adj2 protocol	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:11
12	155	11.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:10
13	36	converting adj2 protocol with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:11
14	16	13.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:11
-	16678	709/\$.cccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:52
-	157	709/\$.cccls. and coupler	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 09:59
-	133	(709/\$.cccls. and coupler) and (first same second)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 11:03
-	0	((709/\$.cccls. and coupler) and (first same second)) and (delay\$4 with response)) and ((709/\$.cccls. and coupler) and (first same second)) and (delay\$4) and template)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 11:04
-	0	((709/\$.cccls. and coupler) and (first same second)) and (delay\$4 with response)) and template	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 11:05
-	6	((709/\$.cccls. and coupler) and (first same second)) and (delay\$4 with response)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 11:05
-	7	((709/\$.cccls. and coupler) and (first same second)) and (delay\$4) and template	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 11:09
-	288	coupler.ti.	US-PGPUB	2003/09/02 09:59
-	70	network with communication with coupler	US-PGPUB	2003/09/02 10:03

-	0	2.ti.	US-PGPUB	2003/09/02 10:00
-	5	2.ab.	US-PGPUB	2003/09/02 10:00
-	0	coupler with classes with template	USPAT; EP ; JP ; DERWENT; IBM_TDB	2003/09/02 10:01
-	9	coupler with delayed with response	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:14
-	648	network with communication with coupler	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:03
-	177	7.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:03
-	0	7.ab. and 709.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:03
-	2	7.ab. and 709/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:03
-	2	7.ab. same delay	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:15
-	15	7.ab. and delay\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:25
-	0	7.ab. and template	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:25
-	2	7.ab. and classes	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:26
-	2	7.ab. and class	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 10:44
-	8	constructor with destructor with access	USPAT; EP ; JP ; DERWENT; IBM_TDB	2003/09/02 13:59

-	33	client with server with stor\$5 with request with reply	USPAT; EP ; JP ; DERWENT; IBM_TDB	2003/09/02 16:42
-	397	709/249.ccls.	USPAT; EP ; JP ; DERWENT; IBM_TDB	2003/09/02 14:57
-	0	707/103.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 14:58
-	23	((request with response) same instance\$2) and ((template\$2 near2 class\$2))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:24
-	2	6223622.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:43
-	2	6233622.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:43
-	1	6233622.pn. and template\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:44
-	36	client with assigned with command	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 10:35
-	14	predetermined with retriev\$5 with reply	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:53
-	0	provided with (user or client) with retriev\$5 with reply	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:54
-	6	key with (user or client) with retriev\$5 with reply	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:56
-	4	value with (user or client) with retriev\$5 with reply	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:10